

Collocation-Based Robust Variational Physics-Informed Neural Networks (CRVPINNs)

Marcin Łoś^{1,*}, Tomasz Służalec¹, Askold Vilkha¹ and Maciej Paszyński¹

¹Faculty of Computer Science, AGH University of Kraków, Poland
e-mail: {los,sluzalec,paszynsk}@agh.edu.pl

KEYWORDS: *Physics-Informed Neural Networks, Collocation Methods, Robust Discrete Formulations.*

Physics-informed Neural Networks (PINNs) have been introduced by G. Karniadakis [1] as a way to apply Deep Learning methods to solving partial differential equations (PDEs). Unlike the more common data-driven approaches, PINNs operate by minimizing a loss function based on the residual of the strong formulation of the PDE, evaluated on a set of collocation points. Because of that, PINNs fail to provide accurate solutions in some problems with low regularity of the data, since the solution only makes sense in a variational form. A natural way to overcome this limitation is to build the loss function using the residual of the variational formulation of the underlying PDE – an approach known as Variational PINN (VPINN) [2].

While the VPINNs have been successfully applied in a number of areas, they have a considerable drawback in that the loss is sensible to the choice of basis functions, and may not be robust, that is, the loss value can tend to zero, while the true error in a relevant Sobolev norm does not. To mitigate that problem, Robust Variational PINN (RVPINN) has been proposed [3], which follows the core ideas introduced in Minimum Residual (MinRes) methods. The RVPINN loss function is constructed as the dual norm of the residual of the variational (Petrov-Galerkin) form of a PDE. As long as the variational formulation satisfies the assumptions of the Babuška theorem (continuity and inf-sup stability of the bilinear form), such loss function constitutes an efficient and reliable estimator of the true error. More precisely, the norm of the true error is bounded from below and above (up to an oscillation term) by the square of the loss.

Unfortunately, to compute the weak residuals, RVPINNs require expensive numerical integration. We proposed an alternative combining their robustness with the efficiency of standard PINN – Collocation-based Robust Variational PINN (RVPINN) [3]. The continuous spatial domain and integral forms are replaced with a discrete set of collocation points and discrete weak formulation, mimicking the properties of the continuous, Sobolev space-based theory, similar to the finite difference method. The result is a robust loss function, which does not require integration.

ACKNOWLEDGEMENT: The work is supported by the “Excellence initiative- research university” for AGH University of Krakow. The authors are grateful for support from the funds the Polish Ministry of Science and Higher Education assigned to AGH University of Krakow. This project has received funding from the European Union’s Horizon Europe research and innovation programme under the Marie Skłodowska-Curie grant agreement No 101119556.

- [1] M. Raissi, P. Perdikaris, G.E. Karniadakis, *J. Comput. Phys.* 378 (2019) 686–707. <https://doi.org/10.1016/j.jcp.2018.10.045>
- [2] E. Kharazmi, Z. Zhang, G.E. Karniadakis, Variational physics-informed neural networks for solving partial differential equations, 2019, arXiv:1912.00873.
- [3] S. Rojas, P. Maczuga, J. Muñoz-Matute, D. Pardo, M. Paszyński, Robust Variational Physics-Informed Neural Networks, *Computer Methods in Applied Mechanics and Engineering* 425 (May 2024): 116904. <https://doi.org/10.1016/j.cma.2024.116904>
- [4] M. Łoś, T. Służalec, P. Maczuga, A. Vilkha, C. Uriarte, M. Paszyński, Collocation-based robust variational physics-informed neural networks (CRVPINNs), *Computers & Structures* 316, 107839 (2025). <https://doi.org/10.1016/j.compstruc.2025.107839>